Royal Bank of Scotland

Bankline Direct ISO 20022 Payments format translation guide for Corporates

To support your transition to ISO 20022 this guide provides a translation of your current payments format and the go forward ISO format.



Demystifying the Bankline Direct Reporting Formats



A range of materials are available to support your transition to ISO 20022. This guide introduces the major differences between the current payments format and the go forward ISO Payment Initiation (pain) format.

Please use this guide to gain an initial understanding of the level and complexity of the changes required to allocate resources and complete a full impact assessment.

This guide translates go-forward pacs format against:

- Message Transmission (MT).
- Bankline Comma Separate Value (CSV).
- Payment Initiation 001.001.03 (Pain).

This guide covers:

- Single Euro Payment Area (SEPA).
- Bank of England CHAPS payments.
- Payment Status Notifications (PSN)
- File Status Notifications (FSN).

Next Steps:


- 1. Review this guide.
- 2. Allocate resource to complete a full impact assessment.
- 3. For detailed technical information, direct your technical team or third-party provider to <u>Swift MyStandards</u>. Registration is required to access the NatWest ISO Community.

For further support please review the FAQs on the website.

New CHAPS fields for enhanced data



ISO 20022 payment formats offer richer, higher quality data through new data fields, not available in existing formats, that allow more detailed and structured information in messages. The below details the new fields.



Purpose Code*

Purpose codes provide information to all users in the payments chain to indicate the reason a payment is being made and can be used to identify real economic impact in an outage and prevent delay from false positives.

LEI Code*

The Legal Entity Identifier (LEI) is a 20-digit, alphanumeric code that connects to key reference information that enables clear and unique identification of companies participating in global financial markets and can be used to prevent and or detect fraud.

Structured Address

Structured address is the mandatory use of Data elements "Country" and "Town Name" within CHAPS payments and aims to reduce errors in processing, improve regulatory screening and enhance reconciliation. Hybrid addresses will allow unstructured 'AddressLine' element to be included.

Structured Remittance

Information regarding what the payment is to help enhance reconciliation.

Ultimate Debtor/Creditor

Refers to the party a payment is made or received on behalf of to aid with payment processing. For property related purchases this refers to the buyer and seller.

*Mandatory for Property purchases from May 25.

Use Case for ISO 20022 enhanced data



Ultimate party set up for trust accounts

A person/buyer wishes to purchase a house from a seller and deposits the funds into a trust account held with a third party/law firm. Once the deal is settled, the law firm act on behalf of the buyer and initiates a payment, using its own account held with the bank.



Ultimate party set up for subsidiaries

A corporate/buyer must pay its suppliers/seller for the good purchased. The buyer's parent company acts on subsidiary's/buyer's behalf and initiates a payment, using its own account held with the bank.



Initiating party set up

A corporate outsourced payroll management to a specialised third-party service provider. The authorised service provider (with technical access to the corporates account) initiates monthly payments on behalf of the corporate/debtor.



Best practice – Duplication of the debtor/creditor details in the ultimate party element.

Debtor



Debtor

Ultimate Debtor

Name	Sample Inc.		
Street Name	Cuba Avenue		
Building Number	11		
Post Code	1111		
Town Name	Wellington		
Country	NZ		
Name	Sample Inc.		
Street Name	Cuba Avenue		
Building Number	11		
Post Code	1111		
Town Name	Wellington		
Country	NZ		

Name		Sample Inc.
Street Name		Cuba Avenue
Building Numl	ber	11
Post Code		1111
Town Name		Wellington
Country		NZ

Best practice – Party name as part of the ultimate party details.



X

Insurance Ltd.

L	
ō	
H	
2	
Å.	
ň	

Name

Ultimate Debtor

Street Name	Cuba Avenue		
Building Number	11		
Post Code	1111		
Town Name	Wellington		
Country	NZ		
Name	Life insurance		
Street Name	Cuba Avenue		
Building Number	11		
Post Code	1111		
Town Name	Wellington		
Country	NZ		

lon	
Remittance Information	
e Info	
ittanc	
Semi	

Debtor

Name	Insurance Ltd.		
Street Name	Cuba Avenue		
Building Number	11		
Post Code	1111		
Town Name	Wellington		
Country	NZ		
Unstructured Remittance Information	Life Insurance		

Best practice – Provision of debtor's department details.

Debtor



X

Name	Company Ltd.
Street Name	Cuba Avenue
Building Number	11
Post Code	1111
Town Name	Wellington
Country	NZ
Name	Treasury Company Ltd.
Name Street Name	Treasury Company Ltd. Cuba Avenue
Street Name	Cuba Avenue
Street Name Building Number	Cuba Avenue

Name	Company Ltd.	
Department	Treasury	
Street Name	Cuba Avenue	
Building Number	11	
Post Code	1111	
Town Name	Wellington	
Country	NZ	

Ultimate Debtor

Debtor

Best practice – Ultimate Party Details 'Not provided'.



X

Name	Company Ltd.		
Street Name	Cuba Avenue		
Building Number	11		
Post Code	1111		
Town Name	Wellington		
Country	NZ		
Name	NOT PROVIDED		
Town Name	NOT PROVIDED		
Country	NOT PROVIDED		

Company Ltd. Name Street Name Cuba Avenue **Building Number** 11 Post Code 1111 Wellington **Town Name** Country NZ Name Ultimate Debtor Street Name **Paradise Street Building Number** 1 Post Code A1 2BC **Town Name** Liverpool UK Country

Debtor

Ultimate Debtor

Debtor

Ultimate Debtor

Best practice – Capturing of Payment Service Providers.



Creditor

Ultimate Creditor

Name	Online Money Transfer Inc.	
Street Name	Gateway Drive	
Building Number	1	
Post Code	91911	
Town Name	San Diego	
Country	US	
Name	Company Ltd.	
Street Name	Main Street	
Building Number	1	
Post Code	Gx11 1AA	
Town Name	Gibraltar	
Country	GI	

Х

	Name	Company Ltd.
	Street Name	Main Street
Creditor	Building Number	1
Cred	Post Code	Gx11 1AA
	Town Name	Gibraltar
	Country	GI
	Name	Online Money Transfer Inc.
tor	Name Street Name	· · · · · · · · · · · · · · · · · · ·
Creditor		Inc.
imate Creditor	Street Name	Inc. Gateway Drive
Ultimate Creditor	Street Name Building Number	Inc. Gateway Drive

Make CHAPS and SEPA payments



Clients use CHAPS to make same day bank to bank payments. Clients use SEPA payments to make Euro to Europe International payments. Here are key fields for a CHAPS and SEPA payment from our existing Bankline Direct payment formats and the equivalent fields in the Pain 001.001.09.

For detailed Pain 001.001.09 technical information please refer to Swift MyStandards.

Field Description	ISO 20022 pain.001.001.09	MT101	MT103	Bankline CSV	pain.001.001.03
Urgent Priority	/Document/CstmrCdtTrfInitn/PmtInf/PmtTpInf/SvcLvl/Cd CHAPS – URGP Sepa - SEPA	N/A	:23E	T001	/Document/CstmrCdtTrfInitn/PmtInf/PmtTpInf/SvcLvl/c d CHAPS – URGP Sepa - SEPA
Payment Date	/Document/CstmrCdtTrfInitn/PmtInf/ReqdExctnDt/Dt	:32A (date)	:32A (date)	T015	/Document/CstmrCdtTrfInitn/PmtInf/ReqdExctnDt
Debtor/Customer Name	/Document/CstmrCdtTrfInitn/PmtInf/Dbtr/Nm	:50A	:50K or:53B (name)	N/A	/Document/CstmrCdtTrfInitn/PmtInf/Dbtr/Nm
Debtor/Customer Address	/Document/CstmrCdtTrfInitn/PmtInf/Dbtr/PstIAdr	N/A	:50K or:53B (address line)	N/A	/Document/CstmrCdtTrfInitn/PmtInf/Dbtr/PstIAdr
Debtor/Customer Account	/Document/CstmrCdtTrfInitn/PmtInf/DbtrAcct/Id/IBAN OR /Document/CstmrCdtTrfInitn/PmtInf/DbtrAcct/Id/Othr/Id	:50A	:50K or:53B (account number)	T010	/Document/CstmrCdtTrfInitn/PmtInf/DbtrAcct/Id/IBAN OR /Document/CstmrCdtTrfInitn/PmtInf/DbtrAcct/Id/Othr/I d
Debtor Agent/Ordering Institution	/Document/CstmrCdtTrfInitn/PmtInf/DbtrAgtFinInstnId/B ICFI OR /Document/CstmrCdtTrfInitn/PmtInf/DbtrAgtFinInstnId/C IrSysMmbId/MmbId	:72	N/A	N/A	/Document/CstmrCdtTrfInitn/PmtInf/DbtrAgtFinInstnId/ BICFI OR /Document/CstmrCdtTrfInitn/PmtInf/DbtrAgtFinInstnId/ CIrSysMmbId/MmbId

Make CHAPS and SEPA payments (cont'd)



Field Description	ISO 20022 pain.001.001.09	MT101	MT103	Bankline CSV	Pain.001.001.03
Sender's Reference	/Document/CstmrCdtTrfInitn/PmtInf/CdtTrfTxInf/ PmtId/InstrId	:20	:20	T006	/Document/CstmrCdtTrfInitn/PmtInf/CdtTrfTxInf/P mtId/InstrId
Payment Amount	/Document/CstmrCdtTrfInitn/PmtInf/CdtTrfTxInf/ Amt/InstdAmt	:32A (amount)	:32A (amount) :33B	T014	/Document/CstmrCdtTrfInitn/PmtInf/CdtTrfTxInf/A mt/InstdAmt
Creditor Agent/Beneficiary Institution	/Document/CstmrCdtTrfInitn/PmtInf/CdtTrfTxInf/ CdtrAgt/FinInstnId/BICFI OR /Document/CstmrCdtTrfInitn/PmtInf/CdtTrfTxInf/ CdtrAgt/FinInstnId/ClrSysMmbId/MmbId	:57A	:57A	T022	/Document/CstmrCdtTrfInitn/PmtInf/CdtTrfTxInf/ CdtrAgt/FinInstnId/BICFI OR /Document/CstmrCdtTrfInitn/PmtInf/CdtTrfTxInf/ CdtrAgt/FinInstnId/ClrSysMmbId/MmbId
Creditor/Beneficiary Name	/Document/CstmrCdtTrfInitn/PmtInf/CdtTrfTxInf/ Cdtr/Nm	:59A	:59 (name)	Т030	/Document/CstmrCdtTrfInitn/PmtInf/CdtTrfTxInf/C dtr/Nm
Creditor/Beneficiary Address	/Document/CstmrCdtTrfInitn/PmtInf/CdtTrfTxInf/ Cdtr/PstIAdr	N/A	:59 (address)	T031-T033	/Document/CstmrCdtTrfInitn/PmtInf/CdtTrfTxInf/ Cdtr/PstIAdr
Creditor/Beneficiary Account	/Document/CstmrCdtTrfInitn/PmtInf/CdtTrfTxInf/ CdtrAcct/Id/IBAN OR /Document/CstmrCdtTrfInitn/PmtInf/CdtTrfTxI nf/CdtrAcct/Id/Othr/Id	:59A	:59 (account)	T028	/Document/CstmrCdtTrfInitn/PmtInf/CdtTrfTxInf/ CdtrAcct/Id/IBAN OR /Document/CstmrCdtTrfInitn/PmtInf/CdtTrfTxInf/ CdtrAcct/Id/Othr/Id
Remittance Information	/Document/CstmrCdtTrfInitn/PmtInf/CdtTrfTxInf/ RmtInf/Ustrd OR /Document/CstmrCdtTrfInitn/PmtInf/CdtTrfTxI nf/RmtInf/Strd/AddtIRmtInf	:70	:70 (codeword/RF B/)	T037	/Document/CstmrCdtTrfInitn/PmtInf/CdtTrfTxInf/R mtInf/Ustrd

Examples CHAPS payments



Pain 001.001.03

Please refer to Swift MyStandards to view the full sample.

<pre>vestion: so:std:iso:20022:tech:xsd:pain.001.001.03" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"></pre>
▼ <cstmrcdttrfinitn></cstmrcdttrfinitn>
▼ <grphdr></grphdr>
<msgid>FILEREFT2</msgid>
<credttm>2016-07-05T14:20:07</credttm>
<nboftxs>1</nboftxs>
<ctrlsum>251000.50</ctrlsum>
▼ <initgpty></initgpty>
<nm>Test Client</nm>
▼ <id></id>
▼ <orgid></orgid>
▼<0thr>
<id>CLIENT ID</id>
0thr
▼ <pmtinf></pmtinf>
<pmtinfid>BATCHREF</pmtinfid>
<pmthtd>TRF</pmthtd>
<nboftxs>1</nboftxs>
<ctrlsum>251000.50</ctrlsum>
▼ <pmttpinf></pmttpinf>
▼ <svclvl></svclvl>
<cd>URGP</cd>
<reqdexctndt>2016-07-05</reqdexctndt>
▼ <dbtr></dbtr>
<nm>This Is My Debtor</nm>
V <pstladr></pstladr>
<pstcd>ABCD1XXX</pstcd>
<twnnm>London</twnnm>
<ctrysubdvsn>Regent's Place</ctrysubdvsn>
<pre></pre>
<adrline>10 A Street</adrline>
▼ <dbtracct></dbtracct>
▼ <id></id>
<iban>GB29NWBK60161331926819</iban>
<pre><ccy>GBP</ccy></pre>
DbtrAct
▼ <dbtragt></dbtragt>
▼ <fininstnid></fininstnid>
<bic>NHBKGB2L</bic>
▼ <ll>>ysNmbId></ll>
<pre></pre>
V <pstidr></pstidr>
<turnn>London</turnn>

Bankline CSV

{1:F01BKCHGB2UXGPL0000000000}{2:I103RBOSGB2LXXXXU3003}{4: :20:1000010000010001 :13C:/CLSTIME/0915+0100 :23B:CRED :23E:SDVA :32A:161122GBP250001,00 :33B:GBP250001,00 :50K:/15100023100062 CUSTOMER BANK FI ADDR789 1 BANK OF RBS ADDR564 2 BANK OF RBS ADDRESS 2 BANK OF RBS :53B:/16012310006228 :57A://SC161029 RBOSGB2LXXX :59:/10639473 BANK OF Beneficiary Bank Bene Address1 Bank Bene Address2 Bank Bene P0600014 :70:/RFB/Reference for beneficiary REMITTA2561 INFO LINE 02 REMITTANCE1 INFO LINE 03 REMITTANCE1 INFO LINE 04 :71A:SHA :71F:GBP0,00 :72:/STO/RBOSGB2L :77B:ORDERRES/BEMEILAAN 1, 9000 GENT REPORTING 1 REPORTING 1 -}{5:}

MT 103

MT 101

{1:F01NWBKGB3CDXXX99999999999}{2:01011239220830JMATGB2LAXXX33333333352208301239N}{4: :20:P0664918 :28D:1/1 :30:220822 :21:P0664918 :23E:URGP :32B:GBP32762083,09 :50H:/GB75NWBK60000139712345 BARNEY STAINMATTHEY PLC 25 DOWINING Street LondoN EEAA 5BC :52A:NWBKGB3C :57A:BARCGB22 :59:/GB25BARC20325312345678 ROYAL BANKING CORPORATION 100 WASHINGTON Street London ED3T 2AT :71A:0UR -}{5:{CHK:DE2B7E84D123}}

Examples SEPA payments



Pain 001.001.03

Please refer to Swift MyStandards to view the full sample.

<pre>v<document xmlns="urn:iso:std:iso:20022:tech:xsd:pain.001.001.03" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"></document></pre>
▼ <schiredet+file()> ▼<schiredet+< td=""></schiredet+<></schiredet+file()>
<ur> <<split< td=""> </split<> FILEREFT2<!--/split</td--></ur>
<pre></pre> <pre></pre> <pre></pre> <pre></pre>
<pre></pre>
<t< td=""></t<>
▼ <initgpty></initgpty>
<nm>Test Client</nm> w <id></id>
▼<0rgId>
▼<0thr>
<id>CLIENT ID</id>
0thr
▼ <pmtinf></pmtinf>
<pmtinfid>BATCHREF</pmtinfid>
<pmthtd>TRF</pmthtd>
<nb0ftxs>1</nb0ftxs>
<ctrlsum>251000.50</ctrlsum>
▼ <pmttpinf></pmttpinf>
▼ <svclvl></svclvl>
<cd>URGP</cd>
<reqdexctndt>2016-07-05</reqdexctndt>
▼ <dbtr></dbtr>
<nm>This Is My Debtor</nm>
▼ <pstladr></pstladr>
<pstcd>ABCD1XXX</pstcd>
<twnnm>London</twnnm>
<ctrysubdvsn>Regent's Place</ctrysubdvsn>
<ctry>GB</ctry>
<adrline>10 A Street</adrline>
▼ <dbtracct></dbtracct>
▼ <id></id>
<iban>GB29NWBK60161331926819</iban>
<ccy>GBP</ccy>
▼ <dbtragt></dbtragt>
▼ <fininstnid></fininstnid>
<bic>NWBKGB2L</bic>
▼ <clrsysmmbid></clrsysmmbid>
<mmbid>601613</mmbid>
▼ <pstladr></pstladr>
<twnnm>London</twnnm>
(Ctmc)GB((Ctmc)

Bankline CSV

...,02,...,Custpayref 01,...,50302010648496,...,10987.00,28062007,.....,309216,...,,12759268,,MR AN OTHER,....,BENINFO 01,......

{1:F01BKCHGB2UXGPL0000000000}{2:I103RBOSGB2LXXXXU3003}{4: :20:1000010000010001 :13C:/CLSTIME/0915+0100 :23B:CRED :23E:SDVA :32A:161122GBP250001,00 :33B:GBP250001,00 :50K:/15100023100062 CUSTOMER BANK FI ADDR789 1 BANK OF RBS ADDR564 2 BANK OF RBS ADDRESS 2 BANK OF RBS :53B:/16012310006228 :57A://SC161029 RBOSGB2LXXX :59:/10639473 BANK OF Beneficiary Bank Bene Address1 Bank Bene Address2 Bank Bene P0600014 :70:/RFB/Reference for beneficiary REMITTA2561 INFO LINE 02 REMITTANCE1 INFO LINE 03 REMITTANCE1 INFO LINE 04 :71A:SHA :71F:GBP0,00 :72:/STO/RBOSGB2L :77B:ORDERRES/BEMEILAAN 1, 9000 GENT REPORTING 1 REPORTING 1 -}{5:}

MT 103

MT 101

{1:F01NWBKGB3CDXXX99999999999}{2:01011239220830JMATGB2LAXXX33333333352208301239N}{4: :20:P0664918 :28D:1/1 :30:220822 :21:P0664918 :23E:URGP :32B:GBP32762083,09 :50H:/GB75NWBK60000139712345 BARNEY STAINMATTHEY PLC 25 DOWINING Street LondoN EEAA 5BC :52A:NWBKGB3C :57A:BARCGB22 :59:/GB25BARC20325312345678 ROYAL BANKING CORPORATION 100 WASHINGTON Street London ED3T 2AT :71A:0UR -}{5:{CHK:DE2B7E84D123}}

Receive payment status notifications



Clients receive PSN's to confirm status of payments. Here are the key fields for our existing PSN formats and the equivalent in the pain 002.001.10. ere are the key fields for transaction level PSN, to view Batch PSN please review <u>MyStandards</u>. Pain 002.001.3 fields are like for like with the new pain format.

For detailed pain 002.001.10 technical information please refer to Swift MyStandards.

Field Description	pain.002.001.10	MT198	Human Readable
Message ID (a unique reference for each payment status)	/AppHdr/BizMsgldr and/Document/CstmrPmtStsRp t/GrpHdr/Msgld	:20	N/A
Original Customer Payment Reference	/Document/CstmrPmtStsRpt/OrgnlPmtInfAndSts/TxInfAndSts/OrgnlInstrId	:77E P03	<6>
Payment Status	/Document/CstmrPmtStsRpt/OrgnlPmtInfAndSts/TxInfAndSts/TxSts	:77E P06	As advised between <4> and<5>
Rejection Reason Code	/Document/CstmrPmtStsRpt/OrgnlPmtInfAndSts/StsRsnInf/Rsn/Cd	:77E P21	<28>
 Additional Information – contains the following: Payment Type. Payment Status (if PNDG in TxSts field). Payment Last Updated Timestamp. Rejection Reason Text. Redirected Beneficiary Credit Institution Redirected Beneficiary Customer Account Number. 	/Document/CstmrPmtStsRpt/OrgnlPmtInfAndSts/StsRsnInf/AddtlInf	:77E 1. P05 2. P06 3. P08 4. P22 5. P25 6. P26	1. <4> 2. N/A 3. N/A 4. <28> 5. N/A 6. N/A

Receive payment status notifications (cont'd)



Field Description	pain.002.001.10	MT198	Human Readable
Payment Date	/Document/CstmrPmtStsRpt/OrgnlPmtInfAndSts/TxInfAndSts/TrckrData/ConfdDt/Dt	:77E P11	<22>
Payment Amount	/Document/CstmrPmtStsRpt/OrgnlPmtInfAndSts/TxInfAndSts/TrckrData/ConfdAmt	:77E P13	<24>
Debtor/Customer Account	/Document/CstmrPmtStsRpt/OrgnlPmtInfAndSts/TxInfAndSts/OrgnlTxRef/DbtrAcct/Id/Othr/Id	:77E P09	<14>
Creditor Agent/Beneficiary Bank BIC	/Document/CstmrPmtStsRpt/OrgnlPmtInfAndSts/TxInfAndSts/OrgnlTxRef/CdtrAgt/FinInstnId/BICFI	:77E P15	<18>
Creditor Agent/Beneficiary Bank NCC	/Document/CstmrPmtStsRpt/OrgnlPmtInfAndSts/TxInfAndSts/OrgnlTxRef/CdtrAgt/FinInstnId/ClrSysM mbId/MmbId	:77E P16	N/A
Creditor/Beneficiary Account	/Document/CstmrPmtStsRpt/OrgnlPmtInfAndSts/TxInfAndSts/OrgnlTxRef/CdtrAcct/Id/IBAN OR /Document/CstmrPmtStsRpt/OrgnlPmtInfAndSts/TxInfAndSts/OrgnlTxRef/CdtrAcct/Id/Othr/Id	:77E P17	<17>
Creditor/Beneficiary Name	/Document/CstmrPmtStsRpt/OrgnlPmtInfAndSts/TxInfAndSts/OrgnlTxRef/CdtrAcct/Nm	:77E P18	<10>

Example payment status notifications



Pain 2

Please refer to Swift MyStandards to view the full sample.

xml version="1.0" encoding="UTF-8" ?
<pre><document xmlns="urn:iso:std:iso:20022:tech:xsd:pain.002.001.03" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"></document></pre>
<cstmrpmtstsrpt></cstmrpmtstsrpt>
<grphdr></grphdr>
<msgid>7597</msgid>
<credttm>2011-05-13T06:20:32.565</credttm>
<initgpty></initgpty>
<id></id>
<orgid></orgid>
<bicorbei>RBOSGB2L</bicorbei>
<0thr>
<id>DRYRUNENTRUST</id>
<schmenm></schmenm>
<cd>Cd>Cd>Cd></cd>
<orgnlgrpinfandsts></orgnlgrpinfandsts>
<orgnlmsgid>99888889</orgnlmsgid>
<orgnlmsgnmid>pain.001.001.03</orgnlmsgnmid>
<orgnlpmtinfandsts></orgnlpmtinfandsts>
<orgnlpmtinfid>ITDD20114504</orgnlpmtinfid>
<orgnlnboftxs>1</orgnlnboftxs>
<orgnlctrlsum>.01</orgnlctrlsum>
<pmtinfsts>RJCT</pmtinfsts>
<stsrsninf></stsrsninf>
<rsn></rsn>
<cd>AC08</cd>
<addtlinf>CLEARING / INSTITUTION BRANCH ORDERING PARTY IS INVALID</addtlinf>

Human Readable

File name	: 123456789
Sender ID	: ABCDEFGHI
Interchange reference	: BACS20032024-AB-00000.xml
Payment type	: Sterling IAT
From the above mentioned file the fol	lowing payment instruction(s) is/are rejected.
At first the concerning payment instr	uction is listed, followed by the reason(s) of rejection
Payment sequence number	: N/A
Order reference number	: 00001234
Batch reference number	: 11111-00000022
Geographic environment	: DO
Name ordering customer	: NatWest
BT Payments	
City ordering customer	:
Name beneficiary	: Royal Bank of Scotland
Address beneficiary	: N/A
City beneficiary	: N/A
ISO country code beneficiary	: GB
Debit account number	: 110220333####
Swift address bank ordering customer	: ABCDGB2L
Institution branch number	: N/A
Credit account number	: 1111####
Swift address bank beneficiary	: N/A
Beneficiary's bank name	: ·N/A
Beneficiary's bank city	: N/A
Beneficiary's bank ISO country code	: N/A
Requested execution date	: 20240320
Settlement	: each pay own cost
Amount	: 163620000
ISO Currency code payment amount	: GBP
Payment information	:
Reason(s) rejection:	
768 Rejected for funds failure	

MT198

1	{1:F01NWBKGB2LXGPL0001000001}{2:I198RB0SGB2LXXXXN}{4:
	:20:PSNMT198PSNTC01A
	:12:198
	:77E::P01:GPL.MT103.12345678.PM
	:P02:000000009006111
	:P03:PN15A3453453453453
	:P05:CHAPS
	:P06:ACCEP
	:P07:2018-08-28-11.43.13.124324
	:P08:2018-08-01-10.04.14.114321
	:P09:33221144444444
	:P10:2010-06-03
	:P12:GBP
	:P13:00000000000051200
	:P15:RBOSGB2LXXX
	:P16:SC52212345678
	:P17:FR7630076021471002160020053
	:P18:Name - Beneficiary Name
	:P24:DR
	-}

Receive file status notifications



Clients receive FSN to confirm status of files. Here are the key fields for our existing FSN formats and the equivalent in the pain 002.001.10. Pain 002.001.3 fields are like for like with the new pain format.

For detailed pain 002.001.10 technical information please refer to Swift MyStandards.

Field Description	pain.002.001.10	MT198	Human Readable
Message ID	/AppHdr/BizMsgldr and/Document/CstmrPmtStsRpt/GrpHdr/Msgld	:20	N/A
Creation Date and Time of the FSN	/Document/CstmrPmtStsRpt/GrpHdr/CreDtTm	:77E second line	First line of FSN
Payment File Name	/Document/CstmrPmtStsRpt/OrgnlGrpInfAndSts/OrgnlMsgId	:77E first line	<3>
File Status (Acceptance/Rejection)	/Document/CstmrPmtStsRpt/OrgnlGrpInfAndSts/GrpSts RJCT (Rejected) PDNG (Pending) ACSP (Accepted Settlement In Process)	:77E third line (file acceptance)	Second line of FSN
Rejection Reason Code	/Document/CstmrPmtStsRpt/OrgnlGrpInfAndSts/StsRsnInf/Rsn/Cd	:77E third line (file rejection)	N/A
Rejection Reason Description	/Document/CstmrPmtStsRpt/OrgnlGrpInfAndSts/StsRsnInf/AddtlInf	:77E fourth line (file rejection)	Second line of FSN

File status notification examples



Pain 2 Please refer to Swift MyStandards to view the full sample.

xml version="1.0" encoding="UTF-8" ?
<pre><document xmlns="urn:iso:std:iso:20022:tech:xsd:pain.002.001.03" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"></document></pre>
<cstmrpmtstsrpt></cstmrpmtstsrpt>
<grphdr></grphdr>
<msgid>7585</msgid>
<credttm>2018-08-01T05:55:25.585</credttm>
<initgpty></initgpty>
<id></id>
<orgid></orgid>
<bicorbei>RBOSGB2L</bicorbei>
<othr></othr>
<id>SCRUMTESTING01</id>
<schmenm></schmenm>
<cd>CUST</cd>
0thr
<orgnlgrpinfandsts></orgnlgrpinfandsts>
<orgnlmsgid>XMLV3_PAIN2_1_3_FSN_level1</orgnlmsgid>
<orgnlmsgnmid>pain.002.001.03.fisp</orgnlmsgnmid>
<grpsts>ACCP</grpsts>
<stsrsninf></stsrsninf>
<addtlinf>File is received and accepted for further Processing</addtlinf>

MT198

{1:F01RBOSGB2LXGPL0001000001}{2:I198RBOSGB2LXXXXN}{4: :20:FSN3310 :12:198 :77E:GPL.I8583.21002831.PM 2010-05-26/10:15:29 File accepted for further processing -}

Human Readable

The file BACS02042024-AB-00123.xml is received and accepted for the further processing. Details of file

File name Interchange reference Sender ID

: BACS02042024-AB-00123.xml.asc : BACS02042024-AB-00123.xml

: ABCDEFGH



Thank you

